

+ - 17 - 00

A

Express Mail Label No. EK482397202US

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
98045 P US

Total Pages in this Submission

TO THE ASSISTANT COMMISSIONER FOR PATENTS

Box Patent Application
Washington, D.C. 20231

Transmitted herewith for filing under 35 U.S.C. 111(a) and 37 C.F.R. 1.53(b) is a new utility patent application for an invention entitled:

Knife Holder and a Knife for a Microtome

and invented by:

Drago BOROSIC

If a **CONTINUATION APPLICATION**, check appropriate box and supply the requisite information:

☐ Continuation ☐ Divisional ☒ Continuation-in-part (CIP) of prior application No.: **PCT/EP97/06437**

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.:

Which is a:

☐ Continuation ☐ Divisional ☐ Continuation-in-part (CIP) of prior application No.:

Enclosed are:

Application Elements

1. ☒ Filing fee as calculated and transmitted as described below
2. ☒ Specification having 10 pages and including the following:
 - a. ☒ Descriptive Title of the Invention
 - b. ☒ Cross References to Related Applications (if applicable)
 - c. ☒ Statement Regarding Federally-sponsored Research/Development (if applicable)
 - d. ☒ Reference to Microfiche Appendix (if applicable)
 - e. ☒ Background of the Invention
 - f. ☒ Brief Summary of the Invention
 - g. ☒ Brief Description of the Drawings (if drawings filed)
 - h. ☒ Detailed Description
 - i. ☒ Claim(s) as Classified Below
 - j. ☒ Abstract of the Disclosure

UTILITY PATENT APPLICATION TRANSMITTAL (Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.
98045 P US

Total Pages in this Submission

Application Elements (Continued)

3. ☒ Drawing(s) (when necessary as prescribed by 35 USC 113)
- a. ☒ Formal Number of Sheets 1
- b. ☐ Informal Number of Sheets _____
4. ☒ Oath or Declaration
- a. ☐ Newly executed (original or copy) ☒ Unexecuted
- b. ☐ Copy from a prior application (37 CFR 1.63(d)) (for continuation/divisional application only)
- c. ☒ With Power of Attorney ☐ Without Power of Attorney
- d. ☐ DELETION OF INVENTOR(S)
Signed statement attached deleting inventor(s) named in the prior application,
see 37 C.F.R. 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation By Reference (usable if Box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied
under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby
incorporated by reference therein.
6. ☐ Computer Program in Microfiche (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all must be included)
- a. ☐ Paper Copy
- b. ☐ Computer Readable Copy (identical to computer copy)
- c. ☐ Statement Verifying Identical Paper and Computer Readable Copy

Accompanying Application Parts

8. ☐ Assignment Papers (cover sheet & document(s))
9. ☐ 37 CFR 3.73(B) Statement (when there is an assignee)
10. ☒ English Translation Document (if applicable)
11. ☒ Information Disclosure Statement/PTO-1449 ☒ Copies of IDS Citations
12. ☐ Preliminary Amendment
13. ☒ Acknowledgment postcard
14. ☒ Certificate of Mailing
- ☐ First Class ☒ Express Mail (Specify Label No.): EK482397202US

UTILITY PATENT APPLICATION TRANSMITTAL
(Large Entity)

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Docket No.

98045 P US

Total Pages in this Submission

Accompanying Application Parts (Continued)

15. ☐ Certified Copy of Priority Document(s) (if foreign priority is claimed)

16. ☒ Additional Enclosures (please identify below):

GERMAN SPECIFICATION
GENERAL AUTHORIZATION TO CHARGE FEES

Fee Calculation and Transmittal

CLAIMS AS FILED

For	#Filed	#Allowed	#Extra	Rate	Fee
Total Claims	14	- 20 =	0	x \$18.00	\$0.00
Indep. Claims	2	- 3 =	0	x \$78.00	\$0.00
Multiple Dependent Claims (check if applicable) <input type="checkbox"/>					\$0.00
BASIC FEE					\$690.00
OTHER FEE (specify purpose)					\$0.00
TOTAL FILING FEE					\$690.00

- ☒ A check in the amount of \$690.00 to cover the filing fee is enclosed.
- ☒ The Commissioner is hereby authorized to charge and credit Deposit Account No. 11-0665 as described below. A duplicate copy of this sheet is enclosed.
- ☐ Charge the amount of _____ as filing fee.
- ☒ Credit any overpayment.
- ☒ Charge any additional filing fees required under 37 C.F.R. 1.16 and 1.17.
- ☐ Charge the issue fee set in 37 C.F.R. 1.18 at the mailing of the Notice of Allowance, pursuant to 37 C.F.R. 1.311(b).



Signature

Dated: April 3, 2000

M. Robert Kestenbaum
Registration No. 20,430
11011 Bermuda Dunes NE
Albuquerque, New Mexico 87111
505-323-0771
Fax 505-323-0865

cc:

Knife Holder and Knife for a Microtome

Cross-References to Related Applications

Not Applicable.

Statement Regarding Federally Sponsored Research or Development

5 Not Applicable.

Reference to a Microfiche Appendix

Not Applicable.

Background of the Invention

10 The invention relates to a knife holder for a microtome, with a knife receiver for arresting and positioning a knife, and also a knife for this knife holder.

Microtomes find application in histology and are used for the production of tissue sections, which are then investigated under the microscope. For the production of the tissue sections, the microtome passes the object to be sectioned past a stationary knife, which must be very sharp and which is therefore held by a knife holder as an interchangeable blade.

15 Discussion of Relevant Art

A knife holder of the above-mentioned kind is known from the brochure "2040 AUTOCUT" of the Reichert-Jung Company; a knife constructed as an elongate blade is clamped in it. In order not to have to constantly change the knife, it is constructed with a length such that it can be displaced with respect to the object holder, and several regions of the blade can be successively brought into use in this manner. This of course has the consequence that the knife holder has a large width, which is not ergonomic. In particular, the removal of the sections with the finger is hindered by the great width of the knife holder, and the person operating the equipment has no way of monitoring which regions of the knife have already

20

been used and which are still sharp. The danger of accidents is also increased by the length of the knife. A finger protector can counter this, but this makes it awkward to work with the equipment. Also, when different regions of the blade are successively used, the blade is then used up relatively quickly and must be changed.

5 Summary of the Invention

The invention has as its object to construct a knife holder and a knife of the above-mentioned kind, such that the knife holder can be constituted to be ergonomic, work is simpler and safer, and also the knife does not have to be changed so often.

10 In terms of the knife holder, this object is attained in that the knife receiver is constituted for the reception of a disk-shaped knife which has the shape of a regular polygon, the edges of which are cutting edges, wherein the knife receiver has a shaft by which the knife is rotatable so that the cutting edges can be positioned to cut an object.

In terms of the knife, the object is attained in that it is constituted in a disk form in the form of a regular polygon, wherein the edges are cutting edges.

15 Due to the shape of the knife as a polygon, the knife holder can be constituted to be relatively narrow and hence also ergonomic. Such a polygon has as many cutting edges as it has edges; for example, in a preferred octagonal form, eight cutting edges are available.

Although the individual cutting edges are shorter than the knives mentioned at the beginning, which reduces the danger of accidents and makes a covering with a finger protector
20 superfluous, the total length of cutting edges of the knife according to the invention is considerably larger than that of the knives mentioned at the beginning. Due to the rotation of the knife, better account can be kept of which portions are already used and which are still sharp. In order to facilitate this, a preferred embodiment provides a numbering associated with

the cutting edges of a knife. Since the knife according to the invention is clamped in its surface -- and thus not laterally -- nearly a hundred percent of its cutting edges can be made use of.

In a particularly suitable embodiment, the knife holder has a depression, and an opening serves for the working use of one of the cutting edges, and this cutting edge projects beyond this opening far enough that a cut can be made with it. The depression serves to receive the knife and for the protection of the cutting edges which are not in use, thus considerably reducing the danger of accidents.

The knife receiver of the knife holder can be arranged in various ways. A depression of circular contour milled into it is provided in which the knife can turn with little play, and a clamping device serves to arrest the knife for a cut to be performed. The knife receiver will suitably be equipped, however, with a rotatable mounting for the knife.

In an advantageous embodiment, the rotatable mounting has a positioning element for the knife, by which the cutting edges of a knife are mounted in a defined position. Such a positioning element can be arranged as a pin situated outside the middle and engaging in a bore of the knife, as a projection affixed to the shaft on which the knife is placed, or in other ways.

Work is greatly facilitated by the knife holder having a detent for the rotatable mounting, latching when a cutting edge is situated in its cutting position. The knife is thus in the correct cutting position after each further rotation, and no adjustment is necessary. The detent can be constituted in an optional manner.

The rotatable mounting can be arranged in a manner such that the knife is clamped between two surfaces of the same, or it is possible for the knife receiver to have a plane surface arranged such that the knife can be positioned between this and the rotatable mounting. The plane surface and the shaft can then be situated on the knife holder housing, or it is possible for

the shaft to be a portion of the mounting which is inserted into a bore of the plane surface and anchored there. In the first case, the knife is first placed on the shaft, and the rotatable mounting is fastened to the shaft. In the second case, the knife is placed on the shaft of the rotatable mounting, and the shaft is then inserted into the knife holder housing, so that the shaft
5 and/or the mounting is held rotatably or else arrestably. In both cases, or also for other embodiments, it is possible for a releasable stop for the rotation of the knife to be provided, to fix the knife in the cutting positions.

The nearly round shape of the knife makes it possible to constitute the knife holder housing in a particularly ergonomic manner. The space required for a cutting edge is thus
10 relatively small, and it is possible for the knife holder housing to be beveled or rounded, left and right of the mounting for the cutting edge which is ready for use.

The knife is also constituted corresponding to the constitution of the knife holder. It can be a simple polygon that can be placed in a milled-out recess that is shaped in a round shape or in the same polygonal shape as the knife. It can have a square or hexagonal hole in
15 the middle for a corresponding shaft, or a bore for placing on a round shaft. In the latter case, it is suitable for the knife to have a contact for a positioning element of the knife receiver, correspondingly, as described above, as a bore, a notch for the engagement of a lug, or in another manner.

Brief Description of the Drawings

20 The invention will be explained hereinbelow with reference to a possible embodiment example, and further possibilities of configuration will be mentioned.

Fig. 1 shows an embodiment of the invention in front view,

Fig. 2 shows a rotatable mounting, and

Fig. 3 shows a partial view in the section III-III.

Detailed Description of Preferred Embodiments

Fig. 1 shows a knife holder 1 with a knife receiver 2, in which a knife 3 having the form of an octagon is mounted. The knife 3 has eight cutting edges 4, one of which is situated in the location 15 for working use. The knife 3 is held by a rotatable mounting 8 in which it is inserted, between this and a plane surface 11 of the knife holder housing 14. A positioning element 9 (Fig. 3) insures that the knife 3 assumes a defined position to the rotatable mounting 8. By the rotation of the mounting 8, each optional cutting edge 4 of the knife 3 can be brought to the location 15. For working use, the knife 3 is clamped by means of a stop 13. In order for the cutting edges 4 which are not in working use to be protected, the knife 3 is situated in a depression 6 of the knife holder housing 14, the floor of which forms the plane surface 11. Only the cutting edge 4 designated for working use is situated at an opening 7 of the depression 6 at the upper edge of the knife holder housing 14, so that this cutting edge 4 projects outward and is ready for a cut.

For changing the knife 3, the stop 13 is released, the closure 18 is opened, and the rotatable mounting 8 is taken out together with the knife 3. For easy working, it is appropriate to make the mounting 8 of magnetic material so that the knife 3 adheres to it. The closure 18 can be made with a threaded closure, bayonet closure, or other quickly releasable connection. A guide 19 serves for the attachment of the knife holder 1 to the microtome, and the stop 20 for fixing in the desired position. The knife holder housing 14 can be ergonomically arranged with chamfers 16 or by rounding off.

Fig. 2 shows a rotatable mounting 8 which is arranged with a numbering whereby it can be better determined which cutting edge 4 of a knife 3 has already been used and which is still

sharp.

Fig. 3 shows a partial view in the form of a section III-III of Fig. 1. The arrangement of the knife 3 in the knife holder housing 14 is shown. The knife 3 is placed with the mounting 8 on a shaft 5 and is held by means of a closure 18. A positioning element 9, constituted as a
5 lug on the shaft 5 and as notches on the mounting 8 and knife 3 serves to determine the position of the cutting edges 4 with respect to the shaft 5 and thus with respect to a detent 10.

The detent 10, constituted as a spring-loaded ball or in another manner, engages in latching positions such that the cutting edges 4 always arrive in the correct working position upon rotation of the mounting 8 with the knife 3. For the use of a cutting edge 4, the knife 3 and the
10 mounting 8 is determined by means of the stop 13. For this purpose, in this embodiment, a shaft 13' with an eccentric 13'' is proposed, wherein the latter engages in a groove 13''' of the shaft 5. By the actuation of the lever of the stop 13, the mounting 8 with the knife 3 can be fixed, or can be released for turning further on or for changing the knife 3.

In the knife holder according to the invention, the rotation axis of the rotatable
15 mounting 8, i.e., the rotation axis of the shaft 13', is perpendicular to the plane surface 11 of the knife holder and hence perpendicular to the plane of the cutting edges 4 of the knife 3 to be received in the knife holder. In addition to this rotation axis for the knife 3, the knife holder can have a further clampable rotation axis for setting the free angle between the plane of the knife 3 to be received and the specimen to be cut; such a rotation axis is then situated parallel
20 to the plane surface 11 of the knife holder housing 14; preferably, such a rotation axis coincides with the cutting edge 4, more precisely, with the cutting edge, located in the working position, of the knife. The technical realization of such a rotation axis for free angle location is known from the state of the art, for example, in that the knife holder housing 14 is divided

between the receiver for the knife 3 and the guide 19 along a partial portion of a cylindrical envelope whose cylinder axis coincides with the cutter edge of the cutting edge of the knife to be received; it therefore needs no further description here.

Furthermore, the knife does not need to be constituted in one piece for the knife holder
5 according to the invention. It is also conceivable that the knife is a combination of several parts, e.g., the knife consists of a polygonal blade holder, in which a corresponding number of blades is received along the peripheral edges.

The embodiment shown is solely as an example. As already stated hereinabove,
numerous other embodiments are conceivable, in particular for the location and the changing
10 of the knife 3, and also for the construction of the stop and the embodiment of the detent.

I Claim:

Claim 1: A microtome for the production of tissue sections in histology, in which an object to be sectioned is passed past a stationary knife for production of said tissue section, comprising:

a disk-shaped knife (3), which has the shape of a regular polygon, with edges that comprise cutting edges (4), and

a knife holder (1) with a knife receiver (2) for arresting and positioning said disk-shaped knife (3),

wherein said knife receiver (2) is constructed for reception of said knife (3), and,

wherein said knife receiver (2) has a shaft (5) by which said knife (3) is rotatable such that said cutting edges (4) are positionable for cutting an object.

Claim 2: The microtome according to Claim 1, wherein said knife holder (1) has a depression (6) for reception of said knife (3) and for protection of said cutting edges (4), with an opening (7) that serves for working use of one of said cutting edges (4).

Claim 3: The microtome according to Claim 1, wherein said knife receiver (2) comprises a rotatable mounting (8) for said knife (3).

Claim 4: The microtome according to Claim 3, wherein said rotatable mounting (8) has a positioning element (9) for said knife (3), by which positioning element (9) said cutting edges (4) of said knife (3) come into a defined position relative to said mounting (8).

Claim 5: The microtome according to Claim 4, wherein said knife holder (1) has a detent (10) for said rotatable mounting (8) that latches when one of said cutting edges (4) is situated in a cutting position.

Claim 6: The microtome according to Claim 3, wherein said knife receiver (2) has a plane surface (11) arranged such that said knife (3) is positionable between said plane surface and

said rotatable mounting (8).

Claim 7: The microtome according to Claim 1, further comprising a numbering arrangement (12) assigned to said cutting edges (4) of said knife (3).

Claim 8: The microtome according to Claim 1, further comprising a releasable stop (13) for rotation of said knife (3) for location of said knife (3) in cutting positions.

Claim 9: The microtome according to Claim 1, wherein said knife holder comprises a knife holder housing (14) that is chamfered left and right of a location (15) for said cutting edge (4) when said cutting edge is in a position for use.

Claim 10: The microtome according to Claim 1, wherein said knife holder comprises a knife holder housing (14) that is rounded off left and right of a location (15) for said cutting edge (4) when said cutting edge is in a position for use.

Claim 11: A microtome for production of tissue sections in histology, in which an object to be sectioned is passed past a stationary knife for production of said tissue sections, wherein said knife is disk-shaped in the shape of a regular polygon, and said knife has edges that are cutting edges (4).

Claim 12: The microtome according to Claim 11, wherein said knife has a bore (17) in its middle for reception of a knife holder (1) in a knife receiver (2).

Claim 13: The microtome according to Claim 11, wherein said knife has an engagement for a positioning element (9) of a knife receiver (2).

Claim 14: The microtome according to Claim 11, wherein said knife comprises an octagon shape.

Abstract of the Invention

The invention relates to a knife holder for a microtome having a knife receiver for fixing and positioning a knife and a knife for the knife holder. The knife holder is ergonomic, the operation is made easier and safer, and the knife does not need to be changed as often. To
5 this end, the knife receiver is constructed to accommodate a disk-shaped knife. The knife is given the shape of a regular polygon, whereby the edges are cutters. The knife receiver has an axle on which the knife can rotate such that the cutters can be positioned for cutting an object.

50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233
2234
2235
2236
2237
2238
2239
2240
2241
2242
2243
2




Fig. 1




Fig. 2




Fig. 3

Docket No.

98045 P US

Declaration and Power of Attorney For Patent Application

English Language Declaration

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

Knife Holder and a Knife for a Microtome

the specification of which

(check one)

☒ is attached hereto.

☐ was filed on _____ as United States Application No. or PCT International Application Number _____ and was amended on _____ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s)			Priority Not Claimed
197 44 983.2	Germany	13 October 1997	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	
_____	_____	_____	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	
_____	_____	_____	<input type="checkbox"/>
(Number)	(Country)	(Day/Month/Year Filed)	

I hereby claim the benefit under 35 U.S.C. Section 119(e) of any United States provisional application(s) listed below:

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

(Application Serial No.)

(Filing Date)

I hereby claim the benefit under 35 U. S. C. Section 120 of any United States application(s), or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of 35 U.S.C. Section 112, I acknowledge the duty to disclose to the United States Patent and Trademark Office all information known to me to be material to patentability as defined in Title 37, C. F. R., Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of this application:

PCT/EP98/06437

12/10/1998

Pending

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

(Application Serial No.)

(Filing Date)

(Status)
(patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. *(list name and registration number)*

M. Robert Kestenbaum

Registration No. 20,430

Send Correspondence to: **M. Robert Kestenbaum**
11011 Bermuda Dunes NE
Albuquerque, New Mexico 87111

Direct Telephone Calls to: *(name and telephone number)*
M. Robert Kestenbaum, (505) 323-0771 Fax: (505) 323-0865

Full name of sole or first inventor Drago BOROSIC	
Sole or first inventor's signature	Date
Residence Dampfad 2, D-69214 Eppelheim, Germany	
Citizenship German	
Post Office Address Dampfad 2, D-69214 Eppelheim, Germany	

Full name of second inventor, if any	
Second inventor's signature	Date
Residence	
Citizenship	
Post Office Address	